Product data sheet

Specifications



UPS Network Management Card 2 with Environmental Monitoring

AP9631

Discontinued on: Sep 13, 2022

End-of-service on: Jun 18, 2024

Discontinued

Main

Provided Equipment	CD with software Temperature Sensor User Manual

Physical

Color	Black
Height	1.5 in (3.8 cm)
Width	4.8 in (12.1 cm)
Depth	4.5 in (11.4 cm)
Net Weight	0.20 lb(US) (0.09 kg)
Mounting preference	No preference
Mounting Mode	Not rack-mountable

Conformance

Standards	EN 55022 Class A EN 55024 FCC Part 15 class A ICES-003
Product Certifications	AS/NZS 3548 (C-Tick) Class A GOST VCCI Class A

Environmental

Ambient Air Temperature for Operation	32…113 °F (0…45 °C)
Operating altitude	0...10000 ft
Relative Humidity	0…95 %
Ambient Air Temperature for Storage	23…113 °F (-5…45 °C)
Storage altitude	0…50000 ft (0…15240 m)
Storage Relative Humidity	0…95 %

Communications & Management

Authentication	Radius

Ordering and shipping details

Category	09305 - INDUSTRIAL UPS

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

GTIN	731304267423
Returnability	No
Country of origin	PH

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	2.008 in (5.1 cm)
Package 1 Width	9.3 in (23.5 cm)
Package 1 Length	6.3 in (15.9 cm)
Package weight(Lbs)	0.747 lb(US) (0.339 kg)
Unit Type of Package 2	S03
Number of Units in Package 2	4
Package 2 Height	11.8 in (30 cm)
Package 2 Width	11.8 in (30 cm)
Package 2 Length	15.7 in (40 cm)
Package 2 Weight	5.11 lb(US) (2.32 kg)
Unit Type of Package 3	PAM
Number of Units in Package 3	600
Package 3 Height	54.4 in (138.2 cm)
Package 3 Width	39.4 in (100 cm)
Package 3 Length	47.2 in (120 cm)
Package 3 Weight	665.62 lb(US) (301.92 kg)

Contractual warranty

Warranty (in months)	24

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances

SCIP Number	1cdb2fed-a06f-4574-913d-8df8e70936b2
EU RoHS Directive	Compliant By Exemption
REACh Regulation	Free of Substances of Very High Concern above the threshold
Halogen content performance	Product contains halogen above thresholds

Energy efficiency

Optimized Energy Efficiency	Energy efficient product

Use Again

Repack and remanufacture

Circularity Profile	End of Life Information
Take-back	Yes
WEEE Label	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Image of product / Alternate images

Alternative






Schneider Electric
UPS Network Management Card 2
No Alarms
Home
Status
Control
Configuration
Tests
Logs
About
UPS Control
Reboot UPS Outlet Groups
Turn Off UPS Outlet Groups
Put UPS Outlet Groups to Sleep
Sleep outlet off delays
Next >
Cancel


Schneider Electric
Плата сетевого управления ИБП 2
Нет сигналов тревоги
Начало
Состояние
Управление
Конфигурация
Тесты
Журналы
О программе
Начало
Последние события устройства
Дата
Время
Событие


Schneider Electric
UPS Network Management Card 2
アラームなし
ホーム
最近のデバイス イベント


Schneider Electric
UPS 网络管理卡 2
无警报
主页
最近的设备事件


Schneider Electric
USV-Netzwerkmanagement-Karte 2
Keine Alarme
Start
Letzte Geräteereignisse